
Ahead Beyond







www.ebaraeurope.com

Looking ahead, going beyond expectations

Ahead Beyond

Multistage, multiuse, multifunction

Multistage electric pumps are an **excellent solution** to guarantee high performances: the stages that make up the hydraulic unit allow the reaching of very high pressures. Our range is divided into two different types: **vertical** multistage and **horizontal** multistage. Each with its own peculiarities, specific features to better adapt to a specific application area or system, allowing it to cover a **truly vast area of applications**.

Domestic pressurisation and the supply of drinking water, industrial washing systems and pressure increases, as well as heating or cooling and rainwater recovery, are all situations that find the **right product** in this range. Our pumps ensure, in all these uses, reliability, high performance and energy efficiency thanks to innovative and cutting-edge technical solutions.

The efficiency and **reliability** of the multistage pumps are further improved by the possibility of using the inverter technology systems, for an **energy** and **economic** saving of the entire system and an improvement of **environmental sustainability**.







Sectors and Areas of application

The wide choice of multistage electric pumps allows EBARA to adapt to the most disparate uses and applications and to respond, thanks to the versatility, to the needs of a large area of residential and industrial applications



Pressurisation

For the pressurisation of water in residential, commercial, industrial and agricultural contexts



Fire-fighting

For the creation of fire-fighting sets compliant with the European standard UNI EN 12845



Irrigation

To make available the water necessary for crops



Washing

For the creation of washing systems used in industry (car washing machines, dishwashers, cleaning in place, sterilising in place, etc.)



Air-conditioning

For the circulation of water in air conditioning systems



Heating

For the circulation of water in air conditioning systems



Movement in general

Industrial liquid handling in process applications



Swimming pools

For water recirculation of swimming pools or of sports facilities



Refrigeration towers

For the circulation of water required in refrigeration towers



Emptying/Filling

For the emptying/filling of tanks









Vertical multistage electric pumps

EBARA vertical multistage means **high pressure**, **innovation** and **advanced** technical solutions. The pumps of this line fully comply with these aspects.

Among the multistage vertical pumps stand out the **EVMS** that, thanks to the exclusive technical solutions adopted and the unmistakably EBARA design, represent the most innovative series on the market.

Industrial applications represent their best field of use.

Following the **MULTIGO** range: the only one of the EBARA multistage in which the motor cooling takes place thanks to the pumped liquid that makes them suitable for both in-tank and surface applications.

Completing the series are the **CVM** models featuring glass fibre reinforced technopolymer stages and cast iron base.



CONFIGURATIONS:



"IN-LINE" TYPE Suction and discharge are positioned on the same axis




"C" TYPE
Suction located
at the bottom,
discharge positioned
above overlying the
aspiration



"L" TYPE
Suction located
at the bottom,
discharge positioned
above radial to the
aspiration





| Model | Materials | | Technical data | |
|---------|---|--|--|--|
| | Pump body | Impeller | | |
| EVMS | EVMS: AISI 304 EVMSG: cast iron EVMSL: AISI 316 | EVMS: AISI 304 EVMSG: AISI 304 EVMSL: AISI 316 | Total head up to 320 m Capacity up to 120 m³/h Maximum operating pressure: 16 - 25 - 30 - 35 bar | |
| MULTIGO | AISI 304 | Technopolymer reinforced with fibre glass | Total head up to 75.7 m Capacity up to 7.2 m³/h Maximum operating pressure: 9 bar | |
| CVM | Cast iron | Technopolymer reinforced with fibre glass | Total head up to 98.5 m Capacity up to 7.2 m³/h Maximum operating pressure: 11 bar | |



The EVMS feature a range of technical solutions that offer a revolutionary product on the market. And here's why:











EBARA production **ETM motors** in IE3 efficiency class,

starting from 0.75 up to 11 kW. With the 1.5 kW size they have the PTC probe as standard.



The Shurricane impeller,

patented by EBARA in AISI 316 steel, with its innovative shape, ensures a reduction of the axial load that usually rests on the bearings, ensuring maximum efficiency on the market and also allowing the use of any standardised motor on the market.

The wide variety of connections available

that meet all the needs depending on the application, the pumped liquid, the system on which they are to be installed: DIN round flanges, DIN mobile flanges, oval flanges, Victaulic and Clamp joint.



- Total head up to 320 m
- Capacity up to 120 m³/h
- Hydraulic efficiency index MEI > 0.7
 - IE3 high efficiency motors starting from 0.75 kW
 - EBARA ETM electric motors from 0.75 to 11 kW
 - Liquid temperature range: -30°C ÷ +140°C
 - Maximum working pressure 16, 25 or 35 bar



seal allows easy maintenance. Its replacement involves a simple operation without having to disassemble the motor support. The seals used are in compliance with EN12756 and easily available on the market if required.



Standard connection for pressure sensor available for quick connection, in case of presence of inverter or other control systems.

3/8"loading and unloading plugs as standard or suitable for connecting a pressure gauge.







MULTIGO





MULTIGO is a vertical multistage centrifugal electric pump with an outer casing, a motor cover and a seal holder disc in AISI 304.



- The components of the hydraulics, i.e. impeller, diffuser and spacer, are made of polypropylene and polystyrene (PPE + PS) reinforced with glass fibres.
- Constructively it presents a double mechanical seal in an oil chamber, to
 ensure continuous lubrication and maximum reliability. Both seals, on the
 motor side and on the pump side, are made of Ceramic/Carbon/NBR.
- Cooling of the motor is guaranteed by the passage of the pumped fluid, so that this pump can be used both in the surface and in the submerged configuration. It is precisely this feature that makes it suitable for different applications.
- All the MULTIGO models are supplied with 5 meters of H07RN-F cable.

Technical data

- Total head from 75.7 to 13.4 m
- Capacity from 1.2 to 7.2 m³/h
- Hydraulic efficiency index MEI > 0.4
- Liquid temperature up to +40°C
- Maximum suction depth: 6 m
- IP 68 protection degree

CVM





The EBARA CVM electric pump is a vertical multistage for residential use.



- The hydraulic components are made of glass fibre reinforced plastic, while the mechanical seal is made of Ceramic/Carbon/NBR.
- The MEI hydraulic efficiency index> 0.4 and the 0.75 kW IE3 motors make them compliant with the relevant European Directives.
- To provide an even more complete product, the CVM models are also available as standard already combined with the E-drive inverter, which allows the optimal setting and operation according to requirement, ensuring the reduction of operating costs.

Technical data

- Total head from 98.5 to 6.4 m
- Capacity from 1.2 to 7.2 m³/h
- Hydraulic efficiency index MEI > 0.4
- IE3 high efficiency motors starting from 0.75 kW
- Liquid temperature up to +40°C
- Protection with automatic re-set incorporated for the single phase models



Horizontal multistage electric pumps

Horizontal multistage electric pumps: the ideal solution for industrial and residential applications where performance and reliability are required.


Two series of electric pumps are part of this line: MATRIX and COMPACT.

The MATRIX electric pumps, made of AISI 304 stainless steel, are suitable for multiple uses in both the **industrial** and **residential sectors**. They have various certifications including the WRAS and DM174 which make them suitable for drinking water. Thanks to the high operating pressure (10 bar) and the renowned robustness, they are ideal for industrial applications such as washing systems or in chillers and hydronic groups.

The **COMPACT** series, instead, is made of cast iron and with a technopolymer impeller and is widely used in the **residential** sector, in domestic pressurisation and clean water handling. This is thanks to its constructive characteristics: **compactness**, **lightness** and extraordinary **quietness**.







| Model | Materials | | Technical data | |
|---------|-----------|---|---|--|
| | Pump body | Impeller | | |
| MATRIX | AISI 304 | AISI 304 | Total head up to 97 m Capacity up to 27 m³/h Maximum operating pressure 10 bar | |
| COMPACT | Cast iron | Technopolymer reinforced with fibre glass | Total head up to 79 m Capacity from 1.2 to 7.2 m³/h Maximum operating pressure 10 bar | |



MATRIX





Horizontal multistage centrifugal electric pumps characterised by a **sturdy** and **compact** construction. Available in various versions and models and suitable for many applications: pressure groups, water distribution and treatment, heating and air conditioning, cooling and chiller, irrigation and rainwater recovery, industrial washing and industrial systems.

- Body, impellers, intermediate stages, seal holder disc and shaft (part in contact with the liquid) in AISI 304.
- The standard mechanical seal is in Ceramic/Carbon/EPDM; then there
 is the possibility of using different types of special seals to reach a
 temperature range from -15°C to +110°C
- WRAS-certified for standard models up to 85°C.
- It is possible to combine these pumps with 2 poles, self-ventilated, high efficiency asynchronous motors.

Technical Data

- Total head up to 97 m
- Capacity up to 27 m³/h
- IE3 high efficiency motors starting from 0.75 kW
- Maximum liquid temperature from -15°C to +85°C (standard) from -15°C to +110°C (TE version for high temperatures)





Compact Design



Approvals suitable for drinking water treatment





Available, as an accessory, the **insulation casing** for the pump body for use with coolant liquids or in situations where condensation may occur



COMPACT

Extremely **silent** horizontal multistage centrifugal electric pumps. Suitable for pressure increases in general, domestic pressurisation, small garden irrigation, vehicle washing and clean water handling.

- High silence
- The pumps are equipped with 2-pole energy efficient asynchronous motors.

Technical Data

- Total head from 6 to 79 m
- Capacity from 1.2 to 7.2 m³/h
- Maximum operating pressure 10 bar
- Maximum liquid temperature 40°C
- The pump body and the support are in cast iron, the outer jacket is in AISI 304. The impeller and diffuser are made of PPE + PS reinforced with glass fibres and PTFE. The shaft is in AISI 416.
- The mechanical seal is in Ceramic/Carbon/NBR





Particularly silent



Light and easy to transport





A driver for your system

Pressure or temperature variations, as well as the variation in the demand for water itself, are situations that commonly occur in water systems, whether they are civil pressurisation systems or related to irrigation or industrial uses.

Responding promptly to these variations by linking the operation of the pump to these events means **improving the efficiency** and **reliability** of the entire system.

E-SPD

E-SPD is the new inverter introduced by EBARA, with air cooling, to be installed directly on terminal box of the EBARA motors, it has all the characteristics to satisfy all customer needs.





Easy: E-SPD is easy and intuitive, with terminal box mounting and easy connection, along with the easy to use start up wizard to save time.



Flexibility: E-SPD can be adapted to EBARA centrifugal pumps including both horizontal and vertical



Versatility: E-SPD can be either mounted directly on the terminal box of ETM or EBARA branded motors, or wall mounted with the optional wall bracket



Visibility: E-SPD has a large LCD display that can indicate important performance data, system parameters and alarm notifications.



Safety: E-SPD provides both protection for the motor and the pump preventing common problems like overcurrent, overheating, voltage protection, dry running and water leaks.



Connectivity: E-SPD can offer multiple connections with 2 digital inputs and outputs as standard, along with 1 analogue input and dedicated communication port for linking up to 8 inverters for multiple pump systems.



EZ-finder, more than just a simple selector

EZ-finder, a way to look for a model of electric pump?? **Much more**.

It is the ultimate tool to find and select the right product for your needs.

Thanks to the logic of the selector, it is possible to search for a product in **various ways**: according to the duty point, by entering the model name or by selecting the application type. **Simple**, the right product in seconds.

EZ-finder is the ideal tool available to the installer, the designer or the engineer.

Discover it at the link https://ezfinder.ebara.com





Everything that you need just a click away

visit our website www.ebaraeurope.com



Data book

Complete technical documentation to be consulted to obtain all the data related to the pumps



Instruction manual

The manual with all the information needed for correct installation of our pumps



Kensaku

a system for the selection of spare parts



Ez-finder

The correct pump selection software for every need https://ezfinder.ebara.com



Service

A team of professionals at your disposal to advise you in your choice of pump and to offer post sale assistance



EBARA sales network

EUROPE

EBARA Pumps Europe S.p.A.

Via Torri di Confine 2/1 int. C 36053 Gambellara (Vicenza), Italia Phone +39 0444 706811 Fax +39 0444 405811 www.ebaraeurope.com

Italian Sales (for order only): e-mail: ordini@ebaraeurope.com

Export Sales (for order only): e-mail: exportsales@ebaraeurope.com

Technical Customer Service (TCS): e-mail: tcs@ebaraeurope.com Phone +39 0444 706869/902/923/833

EBARA Pumps Europe S.p.A. GERMANY

Elisabeth-Selbert-Straße 2 63110 Rodgau, Germany Phone +49 (0) 6106-660 99-0 Fax +49 (0) 6106-660 99-45

EBARA Pumps Europe S.p.A. UNITED KINGDOM

Unit A, Park 34 Collett Way - Didcot Oxfordshire - OX11 7WB, United Kingdom Phone +44 1895 439027 - Fax +44 1235 815770 e-mail: mktguk@ebaraeurope.com

EBARA Pumps Europe S.p.A. FRANCE

122, Rue Pasteur 69780 Toussieu, France Phone: +33 04 72 76 94 82 Fax +33 08 05 10 10 71 e-mail: mktgf@ebaraeurope.com

EBARA POMPY POLSKA Sp. z o.o.

ul. Działkowa 115 A 02-234 Warszawa, Poland Phone +48 22 3909920 Fax +48 22 3909929 e-mail: mktgpl@ebaraeurope.com

EBARA Pumps RUS Ltd.

Prospekt Andropov 18, building 7, floor 11 115432 Moscow Phone +7 499 6830133 e-mail: mktgrus@ebaraeurope.com

EBARA PUMPS IBERIA, S.A.

Poligono Ind. La Estación C/Cormoranes 6-8 28320 Pinto (Madrid), Spain Phone +34 916.923.630 Fax +34 916.910.818 e-mail: marketing@ebara.es

MIDDLE EAST

EBARA Pumps Middle East FZE P.O.BOX 61383

Jebel Ali, Dubai, UAE Phone +971 4 8838889 Fax +971 4 8835307 e-mail: info@ebarame.ae

EBARA PUMPS SAUDI ARABIA LLC

St. 98, Dammam Second Industrial City, P.O.Box. 9210, Dammam 34333, Kingdom of Saudi Arabia Phone 966-138022014

ASIA AND SOUTH-EAST ASIA

11-1, Haneda Asahi-cho, Ohta-ku, Tokyo 144-8510, Japan Phone +81 3 3743-6111 Fax +81 3 5736 3100

EBARA Corporation Fujisawa plant

4-2-1, Hon-Fujisawa, Fujisawa-shi. Kanagawa 251-8502, Japan Phone +81-466-83-8111 Fax +81-466-81-2164

EBARA Machinery (CHINA) CO., Ltd.

Room No.303, Beijing Fortune Plaza, No.7 Dongsanhuan Zhong Road, Chaoyang District Beijing, 100020 P. R. China Phone 86-10-65309996 Fax 86-10-6530-8968 e-mail: emc@ebare.cn www.ebara.cn

EBARA Densan (Qingdao) Technology Co., Ltd. No.88, Wangsha Road, Chengyang Qingdao,

Shandong Province, P.R.China Phone 86-532-8965-3382 Fax 86-532-8965-3379 www.edg-ebara.com

EBARA-Densan Taiwan Manufacturing Co., Ltd.

No.7, Nan-Yuen 2nd Road, Chung Li City, Tao Yuen Hsien, Taiwan Phone 886-3-451-5881 Fax 886-3-452-7904 www.ebara.com.tw

EBARA Thailand Limited

3rd Floor Achme Build. 125 Phetchburi Road Tungphayathai, Rajtheve, Bangkok 10400, Thailand Phone 66-2-216-4935 Fax 66-2-216-4937 e-mail: info@ebara.co.th www.ebara.co.th/index.php/en/

EBARA Fluid Machinery Korea Co., Ltd.

3rd Fl. Hyun-Seok Tower, 50, Seolleung-Ro 93-Gil, Gangnam-Gu Seoul, 135-513 Korea Phone 82 70 43621100 Fax 82 70 82302030 e-mail: nishikura.ryutaro@efmk-ebara.com

EBARA Pumps Philippines, Inc.

Canlubang Industrial Estate, Cabuyao 4025, Laguna, Philippines Phone 0063-49-549-1806 Fax 0063-49-549-1915 e-mail: marketing@ebaraphilippines.com www.ebaraphilippines.com.ph

P.T. EBARA Indonesia

Jl. Raya Jakarta - Bogor Km. 32 Desa Curug, Cimanggis-Depok Jawa Barat, 16953 Indonesia Phone (62-21) 874 0852-53 Fax (62-21) 874 0033 e-mail: marketing@ebaraindonesia.com www.ebaraindonesia.com

EBARA Pumps Malaysia Sdn. Bhd

6, Jalan TP3, UEP Subang Jaya Industrial Park, 47620, Subang Jaya, Selangor, Malaysia. Phone 603-8023 6622 Fax 603-8023 9355 e-mail: sales@ebara.com.my www.ebara.com.my

EBARA Enginering Singapore Pte. Ltd.

No 1, Tuas Link 2, Singapore 638550 Phone 65-6862-3536 Fax 65-6861-0589 e-mail: stdpump@ebrnet.com.sg www.ebara.com.sg

EBARA MACHINERY INDIA PRIVATE LIMITED

#133, 1st Floor, Velachery Main Road, Guindy, Chennai 600 032, India Phone 91-755-0089388

EBARA Vietnam Pump Company Limited Lai Cach Industrial Zone, Lai Cach Town, Cam Giang District, Hai Duong Province, Vietnam Tel 84-2203-850182 Fax 84-2203-850180 e-mail: info@evpc-vn.com www.ebarapump.com.vn/en/

AMERICA

EBARA PUMPS AMERICAS CORPORATION

1651 Cedar Line Drive Rockhill, South Carolina, 29730 U.S.A Phone 803 327-5005 Fax 803 327-5097 e-mail: info@pumpsebara.com www.pumpsebara.com

EBARA Bombas América do Sul Ltda

Rua Joaquim Marques de Figueiredo, 2-31, Distrito Industrial, CEP 17034-290, Bauru, SP, Brasil Phone +55 14 4009-0000 Fax +55 14 4009-0044 e-mail: assistencia@ebara.com.br www.ebara.com.br/ebara/pt/index.php

EBARA Bombas Colombia S.A.S.Autopista Medellin km 7 Celta Trade Park Bodega 02 Lote 116 Funza. Republica de Colombia Phone 57-1-826-9865

AFRICA

EBARA PUMPS SOUTH AFRICA (PTY) LTD

26 Kyalami Boulevard, Kyalami Business Park, 1684, Midrand, Gauteng South Africa Phone: +27 11 466 1844 Fax: +27 11 466 1933

OCEANIA

EBARA Pumps Australia Pty. Ltd.

7, Holloway Drive Bayswater 3153 Victoria, Australia Phone 0061-3-97613033 Fax 0061-3-97613044 e-mail: berrett@ebara.com.au sales@ebara.com.au www.ebara.com.au/index.html



DNV·GL

MANAGEMENT SYSTEM CERTIFICATE

Certificato no./Certificate No.: 164980-2014-AE-ITA-ACCREDIA Data prima emissione/Initial date: 14 ottobre 2014 Validità:/Valid: 14 ottobre 2017 - 14 ottobre 2020

Si certifica che il sistema di gestione di/This is to certify that the management system of

EBARA PUMPS EUROPE S.p.A.

Sede Legale: Via Pacinotti,32 - 36040 Brendola (VI) - Italy

È conforme ai requisiti della norma per il Sistema di Gestione Ambientale/ Has been found to conform to the Environmental Management System standard:

UNI EN ISO 14001:2015 (ISO 14001:2015)

Valutato secondo le prescrizioni del Regolamento Tecnico RT-09/ Evaluated according to the requirements of Technical Regulations RT-09

Questa certificazione è valida per il seguente campo applicativo:

Progettazione e produzione di pompe e sistemi di pompaggio attraverso le fasi di stampaggio plastica, taglio lamiera e coils, stampaggio lamiera, saldatura, tornitura e fresatura, lavaggio, passivazione, lucidatura, verniciatura, assemblaggio e collaudo

(Settore EA: 18 - 17 - 14)

This certificate is valid for the following scope:

Design, and manufacturing of pumps and pumping systems by means of plastic moulding, metal cutting and shearing, metal stamping, welding, machining and milling, cleaning, passivation, polishing, painting, assembly and testing

(EA Sector: 18 - 17 - 14)

Luogo e Data/Place and date: Vimercate (MB), 12 ottobre 2017



ACCREDIA 1 LINIE TRANSPORTO DE ACCEDENTAMENTO DE MODELE DE ACCEDENTAMENTO DE MODELE DE ACCEDENTAMENTO DE MODELE DE ACCEDENTAMENTO DE ACCED

Membro di M.A. EA per pi schemi di accreditamento SGC, SGA, MID, MS, SIR GMG, LMI e LMI, e I MA IDA per gli schemi di accreditamento SGD, SGA, SSE, FSM e MD e di MSA E.AC per gli schemi di accreditamento LMB, MID, LMT e ISB Per l'Organismo di Certificazione/ For the Certification Body

Nicola Privato Management Representative

La validità del presente Certificato è subordinata al rispetto delle condizioni contenute nel Contratto di Certificazione/
Lack of fulfiliment of conditions as set out in the Certification Agreement may render this Certificate invalid.
DNY GL Business Assurance Italia S.r.L., Via Energy Park, 14 - 20871 Vimerczate (MB) - 140y. TEL:039 68 99 905. www.dnvgl.it/assurance



DNV-GL

MANAGEMENT SYSTEM CERTIFICATE

Certificato No./Certificate No.: CERT-17819-2006-AQ-VEN-SINCERT Data prima emissione/Initial date: 13 ottobre 2006

Validità/Valid: 10 ottobre 2015 - 10 ottobre 2018

Si certifica che il sistema di gestione di/This is to certify that the management system of

EBARA PUMPS EUROPE S.p.A.

Via Pacinotti, 32 - 36040 Brendola (VI) - Italy

È conforme ai requisiti della norma per il Sistema di Gestione Qualità/ has been found to conform to the Quality Management System standard:

UNI EN ISO 9001:2008 (ISO 9001:2008)

Questa certificazione è valida per il seguente campo applicativo:

Progettazione, produzione, vendita e commercializzazione di pompe e sistemi di pompaggio

(Settore EA: 18 - 17 - 14)

This certificate is valid for the following scope:

Design, manufacture, sales and trade of pumps and pumping systems

(EA Sector: 18 - 17 - 14)

Luogo e Data/Place and date: Vimercate, 06 agosto 2015



GQ Nº 003 A GA Nº 003 D GE Nº 007 M CR Nº 004 P

Maintine di MLA EA per gli echemi di accreditamento 500, 50A, MID, MID, 15F, CHG, LAB e LAT, di MLA IA per gli schemi di accreditamente Sogo, 56A, 50T, 40T e FRD e di MSA (LAC per gli schemi di accreditamento Per l'Organismo di Certificazione/ For the Certification Body

V Work of

Vittore Marangon Management Representative



www.ebaraeurope.com

Looking ahead, going beyond expectations

Ahead Beyond



EBARA Pumps Europe S.p.A.Via Torri di Confine 2/1 int. C
36053 Gambellara (Vicenza), Italy Phone +39 0444 706811 Fax +39 0444 405811 ebara_pumps@ebaraeurope.com www.ebaraeurope.com

EBARA Corporation

11-1, Haneda Asahi-cho, Ota-ku, Tokyo 144-8510 Japan Phone +81 3 6275 7598 Fax +81 3 5736 3193 www.ebara.com

